

Protein Science

A PUBLICATION OF THE PROTEIN SOCIETY

Volume 16, Number 8

August 2007

CONTENTS

ACCELERATED COMMUNICATION

- Building native protein conformation from NMR backbone chemical shifts using Monte Carlo fragment assembly 1515
Haipeng Gong, Yang Shen, and George D. Rose

ARTICLES

- Specific reactions of *S*-nitrosothiols with cysteine hydrolases: A comparative study between dimethylargininase-1 and CTP synthetase 1522
Oliver Braun, Markus Knipp, Serge Chesnov, and Milan Vašák
- Discovery of antibacterial cyclic peptides that inhibit the ClpXP protease 1535
Lin Cheng, Todd A. Naumann, Alexander R. Horswill, Sue-Jean Hong, Bryan J. Venters, John W. Tomsho, Stephen J. Benkovic, and Kenneth C. Keiler
- Domain folding and flexibility of *Escherichia coli* FtsZ determined by tryptophan site-directed mutagenesis 1543
Rodrigo Díaz-Espinoza, Andrea P. Garcés, José J. Arbildua, Felipe Montecinos, Juan E. Brunet, Rosalba Lagos, and Octavio Monasterio
- Local quality assessment in homology models using statistical potentials and support vector machines 1557
Marc Fasnacht, Jiang Zhu, and Barry Honig
- Toward rational protein crystallization: A Web server for the design of crystallizable protein variants 1569
Lukasz Goldschmidt, David R. Cooper, Zygmunt S. Derewenda, and David Eisenberg
- Solution structure of the zinc finger HIT domain in protein FON 1577
Fahu He, Takashi Umehara, Kengo Tsuda, Makoto Inoue, Takanori Kigawa, Takayoshi Matsuda, Takashi Yabuki, Masaaki Aoki, Eiko Seki, Takaho Terada, Mikako Shirouzu, Akiko Tanaka, Sumio Sugano, Yutaka Muto, and Shigeyuki Yokoyama
- Reactivation of methionine synthase from *Thermotoga maritima* (TM0268) requires the downstream gene product TM0269 1588
Sha Huang, Gail Romanchuk, Katherine Pattridge, Scott A. Lesley, Ian A. Wilson, Rowena G. Matthews, and Martha Ludwig

(continued)

Cover Illustration: A model of the specific ParD-DNA complex was generated from the coordinates of the solution structure of the ParD dimer using molecular dynamics methods. The two chains of the ParD dimer are shown in blue and light blue and the two strands of the 10 bp inverted repeat in green and pale green. Residues involved in protein-DNA interactions are shown in stick presentation; those pointing into the major groove of the DNA (Arg3, Thr5, and Asp7) in gray; those interacting with the phosphate backbone in yellow. The view is approximately along the twofold axis of the dimer. (See Oberer et al., pp. 1676.)

Contents (continued)

Simulation study on the disordered state of an Alzheimer's β amyloid peptide A β (12–36) in water consisting of random-structural, β -structural, and helical clusters	1596
<i>Jinzen Ikebe, Narutoshi Kamiya, Jun-Ichi Ito, Heisaburo Shindo, and Junichi Higo</i>	
Genetic selection reveals the role of a buried, conserved polar residue	1609
<i>R. Jeremy Johnson, Shawn R. Lin, and Ronald T. Raines</i>	
Probing mechanisms of resistance to the tuberculosis drug isoniazid: Conformational changes caused by inhibition of InhA, the enoyl reductase from <i>Mycobacterium tuberculosis</i>	1617
<i>Nicole A. Kruh, Richa Rawat, Béla P. Ruzsicska, and Peter J. Tonge</i>	
The structure of receptor-associated protein (RAP)	1628
<i>Donghan Lee, Joseph D. Walsh, Molly Migliorini, Ping Yu, Tao Cai, Charles D. Schwieters, Susan Krueger, Dudley K. Strickland, and Yun-Xing Wang</i>	
Human embryonic, fetal, and adult hemoglobins have different subunit interface strengths. Correlation with lifespan in the red cell	1641
<i>Lois R. Manning, J. Eric Russell, Julio C. Padovan, Brian T. Chait, Anthony Popowicz, Robert S. Manning, and James M. Manning</i>	
Specific interactions of serpins in their native forms attenuate their conformational transitions	1659
<i>Yu-Ran Na and Hana Im</i>	
The role of protein homochirality in shaping the energy landscape of folding	1667
<i>Vikas Nanda, Aina Andrianarijaona, and Chitra Narayanan</i>	
The solution structure of ParD, the antidote of the ParDE toxin-antitoxin module, provides the structural basis for DNA and toxin binding	1676
<i>Monika Oberer, Klaus Zangger, Karl Gruber, and Walter Keller</i>	
A single mutation in the active site swaps the substrate specificity of <i>N</i> -acetyl-L-ornithine transcarbamylase and <i>N</i> -succinyl-L-ornithine transcarbamylase	1689
<i>Dashuang Shi, Xiaolin Yu, Juan Cabrera-Luque, Tony Y. Chen, Lauren Roth, Hiroki Morizono, Norma M. Allewell, and Mendel Tuchman</i>	
Effect of Asp ⁶⁹ and Arg ³¹⁰ on the pK of His ⁶⁸ , a key catalytic residue of adenylosuccinate lyase	1700
<i>Sharmila Sivendran, Mark L. Segall, Puntiwitt C. Rancy, and Roberta F. Colman</i>	
DosT and DevS are oxygen-switched kinases in <i>Mycobacterium tuberculosis</i>	1708
<i>Eduardo Henrique Silva Sousa, Jason Robert Tuckerman, Gonzalo Gonzalez, and Marie-Alda Gilles-Gonzalez</i>	
Physical-chemical determinants of turn conformations in globular proteins	1720
<i>Timothy O. Street, Nicholas C. Fitzkee, Lauren L. Perskie, and George D. Rose</i>	
Probing nonnucleoside inhibitor-induced active-site distortion in HIV-1 reverse transcriptase by transient kinetic analyses	1728
<i>Qing Xia, Jessica Radzio, Karen S. Anderson, and Nicolas Sluis-Cremer</i>	
Structural and functional analysis of the ligand specificity of the HtrA2/Omi PDZ domain	1738
<i>Yingnan Zhang, Brent A. Appleton, Ping Wu, Christian Wiesmann, and Sachdev S. Sidhu</i>	
Cleavage of recombinant proteins at poly-His sequences by Co(II) and Cu(II)	1751
<i>Martina Andberg, Jussi Jääntti, Sara Heilimo, Päivi Pihkala, Arja Paananen, Ari M.P. Koskinen, Hans Söderlund, and Markus B. Linder</i>	

Contents (continued)

Orphan nuclear receptor NGFI-B forms dimers with nonclassical interface 1762
*Marcos R. Calgaro, Mario de Oliveira Neto, Ana Carolina M. Figueira, Maria A.M. Santos,
Rodrigo V. Portugal, Carolina A. Guzzi, Daniel M. Saidemberg, Lucas Bleicher, Javier Vernal,
Pablo Fernandez, Hernán Terenzi, Mario Sergio Palma, and Igor Polikarpov*

FR258900, a potential anti-hyperglycemic drug, binds at the allosteric site of glycogen phosphorylase 1773
*Costas Tiraidis, Kyra-Melinda Alexacou, Spyros E. Zographos, Demetres D. Leonidas, Thanasis Gimisis,
and Nikos G. Oikonomakos*

PROTEIN STRUCTURE REPORT

Structure in an extreme environment: NMR at high salt 1783
Bulent Binbuga, Arezue F.B. Boroujerdi, and John K. Young

Solution structure of the general transcription factor 2I domain in mouse TFII-I protein 1788
*Yukiko Doi-Katayama, Fumiaki Hayashi, Makoto Inoue, Takashi Yabuki, Masaaki Aoki, Eiko Seki,
Takayoshi Matsuda, Takanori Kigawa, Mayumi Yoshida, Mikako Shirouzu, Takaho Terada,
Yoshihide Hayashizaki, Shigeyuki Yokoyama, and Hiroshi Hirota*

FOR THE RECORD

Mutations that mimic phosphorylation of the HIV-1 matrix protein do not perturb the myristyl switch 1793
*Jamil S. Saad, Andrew Kim, Ruba H. Ghanam, Amanda K. Dalton, Volker M. Vogt, Zhibin Wu, Wuyuan Lu,
and Michael F. Summers*

CORRECTION 1798

NEWS FROM THE PROTEIN SOCIETY 1799

UPCOMING MEETINGS 1802